



Annual Environmental Reporting

Werris Creek 2022-23

Crawford Freightlines

7 June 2023

→ **The Power of Commitment**



GHD Pty Ltd | ABN 39 008 488 373

180 Lonsdale Street, Level 9

Melbourne, Victoria 3000, Australia

T 61-3-8687 8000 | **F** 61-3-8732 7046 | **E** melmail@ghd.com | **ghd.com**

Document status

Status Code	Revision	Author	Reviewer		Approved for issue		
			Name	Signature	Name	Signature	Date
S3	A						5/06/2023
S4	0	B Cook	J Forrest		J Forrest		7/06/2023

© GHD 2023

This document is and shall remain the property of GHD. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission. Unauthorised use of this document in any form whatsoever is prohibited.

Contents

1. Introduction	1
1.1 Environment Protection License	1
1.2 Purpose of this report	1
1.3 Scope and limitations	2
1.4 Assumptions	2
2. Records for each fumigation event	3
2.1 Introduction	3
2.2 2022 – 2023 fumigation events	4
3. Meteorological data	8
3.1 Weather conditions sub-set	8
4. Container ventilation management regime	10
5. Approved Methods modelling	11
6. Conclusion	12

Table index

Table 2.1	Fumigation event days	4
Table 3.1	EPL No. 21253 decision tree condition	8

Figure index

Figure 2-1	Example Fumigation Clearance Certificate detail	3
Figure 3-1	Fumigation decision tree for container opening	8

Appendices

Appendix A	Fumigation records for each container opening
------------	---

1. Introduction

1.1 Environment Protection Licence

Crawford Freightlines Pty Ltd is the licensee for Environment Protection Licence (EPL) No. 21253. The Scheduled Activity of 'Wood Preservation' (> 30,000 m³ annual processing capacity) occurs at the Crawford Freightlines Intermodal Terminal, 127 Railway Parade, Werris Creek NSW 2341.

The Reporting Conditions of EPL 21253 requires the licensee to complete and supply to the EPA an Annual Return, inclusive of an Air Quality Verification Report (Condition R5.2); this report. The Anniversary Date of the license is 9 April. Lodgment of the Annual Report is within 60 days of the Anniversary Date.

1.2 Purpose of this report

Condition R5.2 of EPL 21253 states:

- “An Air Quality Verification Report must be submitted to the EPA with the Annual Return for this Environment Protection Licence. The report must:
 - a. Include fumigation records for each fumigation event undertaken during the reporting period. The records must include, but not necessarily be limited to:
 1. Date and time of each fumigation event
 2. Number of containers fumigated for each event
 3. Mass of fumigant applied to each container, including any additional fumigant required to be dosed to achieve completed fumigation event(s)
 4. Fumigant concentrations measured within the containers at the beginning, during and prior to commencement of ventilation of each fumigation
 - b. Detail meteorological data collected from monitoring point 9, being the onsite meteorological station, for each fumigation (sic) ventilation.
 - c. Using the information in (a) and (b), demonstrate that the container ventilation management regime ensures compliance with the project adopted methyl bromide threshold (considering the EPA's published impact assessment criteria) at or beyond the premises boundary.
 - d. Use modelling conducted in accordance with the *Approved Methods for Modelling and Assessment of Air Pollutants in NSW*, if modelling is needed to confirm compliance with the adopted threshold.”

This report addresses the items of Condition R5.2. Subclauses (a) and (b) by themselves are unable to satisfy subclause (c). It was agreed at a meeting with EPA in Tamworth on 7 December 2021 that any individual containers opened below the threshold concentration of 20 g/m³ (condition L5.4 of EPL 21253)^[1] have already been demonstrated, by the Air Quality Management Plan, to result in methyl bromide compliance at the site boundaries. Therefore, subclause (c) for most fumigation events (individual container opening) has previously been demonstrated by the Air Quality Verification Report (GHD 12526556-41707, 21 December 2020). Subclause (d) is used for when any individual container 'fumigation event' involves an end-point concentration above the condition L5.4 threshold - residual methyl bromide concentration less than or equal to 20 g/m³.

¹ The original modelling was able to demonstrate that up to 20 containers 'released' during one hour with an average concentration of 21.7 g/m³ meets condition R5.2(c).

1.3 Scope and limitations

This report has been prepared by GHD Pty Ltd (GHD) for Crawford Freightlines Pty Ltd and may only be used and relied on by Crawford Freightlines Pty Ltd for the purpose agreed between GHD and Crawford Freightlines Pty Ltd as set out in Section 1.2 of this report.

GHD otherwise disclaims responsibility to any person other than Crawford Freightlines Pty Ltd arising in connection with this report. GHD also excludes implied warranties and conditions, to the extent legally permissible.

The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.

The opinions, conclusions and any recommendations in this report are based on conditions encountered and information reviewed at the date of preparation of the report. GHD has no responsibility or obligation to update this report to account for events or changes occurring subsequent to the date that the report was prepared.

The opinions, conclusions and any recommendations in this report are based on assumptions made by GHD described in this report (refer to Section 1.4 of this report). GHD disclaims liability arising from any of the assumptions being incorrect.

GHD has prepared this report on the basis of information provided by Crawford Freightlines Pty Ltd and others who provided information to GHD (including Government authorities), which GHD has not independently verified or checked beyond the agreed scope of work. GHD does not accept liability in connection with such unverified information, including errors and omissions in the report which were caused by errors or omissions in that information.

GHD has not been involved in the preparation of the EPL Annual Return and has had no contribution to, or review of the EPL Annual Return other than in the Air Quality Verification Report. GHD shall not be liable to any person for any error in, omission from, or false or misleading statement in, any other part of the EPL Annual Return.

1.4 Assumptions

Monitoring conducted for the Crawford Freightlines Intermodal Terminal is consistent with the Air Quality Management Plan (AQMP) (GHD, revised October 2021) developed for site operations.

It is also assumed that the site monitoring is conducted consistent with the monitoring requirements of the EPL. In particular, the Monitoring and Recording Conditions M1, M2, M3 and M4 of EPL 21253.

2. Records for each fumigation event

2.1 Introduction

Operations commenced at Crawford Freightlines Intermodal Terminal during April 2020 with commissioning fumigation events occurring. As log shipments were diverted from Newcastle (the Crawford facility at Sandgate) to Werris Creek, the frequency of fumigations increased leading into the 2020/21 financial year. Timber fumigation events dwindled during the 2021 to 2022 period with grain fumigation taking over.

Due to both quarantine and EPL requirements, each fumigation event requires records to be kept regarding fumigation. A quarantine clearance certificate is produced for the logs exposed to fumigation and includes the recording of the container identification and more. A sample of the relevant event details is provided in Figure 2-1. GHD has inspected the records for fumigation event reporting to verify that Condition R5.2 is being complied with. Each fumigation event record has:

- Fumigation Clearance Certificate
- Crawford Pesticide Application Record
- GFS-CFL Environmental Venting Procedure Record

Continuously recorded meteorological data has also been accessed by GHD to identify meteorological conditions at each fumigation event (see Section 3).

All records are kept on-site in accordance with condition M1 Monitoring records of EPL 21253. These are available for inspection by EPA while a summary is provided in this report.

TREATMENT DETAILS							
Date/Time Fumigation completed:	29/3/23	10:10					
Place of Fumigation:	Crawfords Freightlines 41 Downton Street, Werris Creek NSW 2341						
Prescribed dose rate (g/m ³):	48g/m ³ @ 21°C	Applied dose rate (g/m ³):	48g/m ³				
Exposure period (hours):	24	Forecasted Minimum Temperature (°C):	17.5				
HOW WAS THE FUMIGATION CONDUCTED?							
X	Un-sheeted Container		Silo				
Container Number	Dose (KG)	Final TLV	Container Number	Dose (KG)	Final TLV	Container Number	Dose (KG)
TGBU7565600	3.7	1					
TGHU9116283	3.7	0					
GAQU6720457	3.7	0					

Figure 2-1 Example Fumigation Clearance Certificate detail

2.2 2022 – 2023 fumigation events

Details of the fumigation events from the Anniversary Date of 9 April between 2022 to 2023 are presented in Table 2.1. This includes containers involving grain as well as timber.

Depending on the logistics of the number of containers to be fumigated and then vented 24 hours later, the daily fumigation 'event' may occur across several hours. For example, a maximum of 20 containers can only be vented in any given hour. By default, the dosage rate at the time the containers are 'gassed' is the initial (beginning) fumigant concentration. An intermediate container concentration is most often recorded at 16 hours (a China import requirement) – mainly for quarantine clearance certificate purposes where a minimum in-container concentration (21.3 g/m³ from an initial dose for timber of 64 g/m³) is required. An end-time concentration is also recorded (top, middle and bottom) where required (timber only) for quarantine clearance certificate purposes.

Table 2.1 records that 80 event days (higher than the 52 in the previous year but much lower than the 156 in the 2020-21 year) occurred during the reporting period of 2022/23. Only 10 of these days involved timber (the scheduled activity of 'Wood Preservation' in EPL 21253) due to the trade dispute between Australia and China. This is 22 percent of available days. For most of the reporting year, timber fumigation was replaced with grain fumigation only – a seasonal and international market adjustment. Grain containers only were fumigated on a further 70 days. A total of 1248 containers (2497 previous year and well short of the 5500 the next previous year) were processed with a measured event opening with residual MeBr concentration. An average day has 11 containers processed with a range of between one and 36.

The dosage rate is a target value achieved by weighing a set amount into the sealed container. To achieve a dosage rate of 64 g/m³ for timber, 2.5 kg of MeBr is required. Differing, and sometimes higher initial dosage is required for grain to achieve the same end point with concentrations after 24 hours of less than 21.3 g/m³. The pre-venting concentration is the average of bottom, middle and top concentrations (timber only) at the end time of fumigation exposure – nominally 24 hours after dosing. The in-container concentration decreases further after a variable time before taking the final measurement and 'cracking' the container open. The Air Quality Management Plan requires that if the end concentration is not below the target concentration of less than or equal to 20 g/m³, then the container is not opened.

The start time for ventilation is always two hours after sunrise with most fumigation days starting between the hours of 8:00 am and noon. The latest time of starting fumigation was 1:35 pm – well within the allowed time of 6:00 pm and two hours before sunset.

Table 2.1 Fumigation event days

Date	Dosage rate (g/m ³)	Start time	End time	Containers	Product
09-04-22	64	1030	1139	19	Timber
12-04-22	40	0915	1006	13	Sorghum
13-04-22	64	1000	1942	10	Timber
20-04-22	64 40	1000	1127	1 19	Timber Sorghum
29-04-22	64	1030	1142	10	Timber
03-05-22	40	1000	1403	20	Sorghum
05-05-22	40	1000	1145	16	Sorghum
06-05-22	40	1015	1224	22	Sorghum
10-05-22	40	1000	1112	17	Sorghum
18-05-22	40	1000	1231	16	Sorghum
19-05-22	40	0930	0954	4	Sorghum
20-05-22	40	0930	1009	5	Sorghum
21-05-22	40	0915	0930	1	Sorghum

Date	Dosage rate (g/m ³)	Start time	End time	Containers	Product
27-05-22	40 64	0945	1515	36 10	Sorghum Timber
31-05-22	64 40	1045	1145	10 6	Cotton Sorghum
01-06-22	40 40	0945	1021	6 2	Cotton Sorghum
03-06-22	40 40	1130	1412	21 10	Cotton Sorghum
04-06-22	40	0930	0945	1	Cotton
09-06-22	40	1100	1230	25	Cotton
10-06-22	40 40	1015	1115	9 7	Cotton Sorghum
15-06-22	40 40	1030	1154	13 8	Cotton Mung Bean
18-06-22	64 40	1100	1242	14 16	Timber Cotton
22-06-22	40 40	1030	1151	10 8	Cotton Sorghum
24-06-22	40	1030	1206	12	Cotton
01-07-22	48 40	1030	1505	13 23	Sorghum Sorghum
02-07-22	40	0900	1300	35	Sorghum
08-07-22	64 40	1045	1233	14 8	Timber Sorghum
22-07-22	40	1015	1151	28	Cotton
11-08-22	48 48	1100	1147	13 2	Cotton Chickpeas
12-08-22	48	0930	1318	20	Cotton
16-08-22	48 48 48	1100	1327	5 9 20	Chickpeas Sorghum Cotton
18-08-22	48 48 48	1315	1457	11 20 2	Sorghum Cotton Chickpeas
25-08-22	48 48	1215	1448	20 9	Cotton Sorghum
26-08-22	48	1335	1345	4	Sorghum
01-09-22	48	0935	1032	20	Sorghum
02-09-22	48 48	0935	1127	6 14	Sorghum Cotton
03-09-22	48 48	1130	1154	2 7	Cotton Sorghum
07-09-22	48 48	1115	1400	18 10	Cotton Sorghum

Date	Dosage rate (g/m ³)	Start time	End time	Containers	Product
08-09-22	48 48 48	1005	1050	6 5 5	Sorghum Chickpeas Cotton
13-09-22	64 48	1000	1106	11 8	Timber Cotton
14-09-22	48 48 48	1050	1305	5 5 3	Mung Bean Chickpeas Cotton
15-09-22	48 48	1143	1207	8 1	Cotton Timber
16-09-22	48	1110	1122	5	Chickpeas
17-09-22	48	1015	1027	5	Mung Bean
20-09-22	48	1142	1154	5	Mung Bean
21-09-22	48	1000	1012	5	Mung Bean
27-09-22	48 48	1050	1237	10 20	Chickpeas Cotton
28-09-22	48	1130	1218	17	Sorghum
30-09-22	48	1000	1100	18	Cotton
04-10-22	48 84	0840	1125	5 2	Chickpeas Cotton
05-10-22	48 48	0840	0852	3 2	Chickpeas Cotton
06-10-22	48 48	1030	1220	6 16	Sorghum Cotton
07-10-22	48 48	1000	1012	1 4	Sorghum Cotton
13-10-22	48 48	1100	1300 1224	9 20	Sorghum Cotton
20-10-22	48 48 48	1145	1245	7 4 10	Grain Chickpeas Cotton
26-10-22	48	1230	1242	5	Sorghum
27-10-22	48	1245	1321	13	Sorghum
28-10-22	48	1105	1129	9	Sorghum
02-11-22	48 48	0955	1049	13 6	Sorghum Mung Bean
04-11-22	48	1010	1148	24	Cotton
09-11-22	48 48	0933	1115	9 2	Grain Chickpeas
17-11-22	48 48	1003	1030	6 4	Cotton Grain
08-12-22	48	1015	1103	14	Grain
09-12-22	48 48	1026	1314	10 14	Cotton Grain

Date	Dosage rate (g/m ³)	Start time	End time	Containers	Product
15-12-22	48	1003	1127	22	Cotton
21-12-22	48	1017	1020	1	Cotton
28-12-22	48	0952	0955	10 1	Cotton
18-01-23	48	1000	1127	20	Timber
21-01-23	40	0915	0942	10	Faba Beans
28-01-23	32	0930	1224	18	Sorghum
29-01-23	32	0845	0900	2	Sorghum
01-02-23	32	0930	1048	15	Chickpeas
14-02-23	48	0845	0921	13	Cotton
16-02-23	48	0900	0951	8	Cotton
17-02-23	48	0915	0945	6	Cotton
18-02-23	48	0920	0948	8	Cotton
01-03-23	56	1015	1112	20	Timber
14-03-23	48	0830	0845	2	Cotton
15-03-23	48	0900	1006	9	Cotton
16-03-23	48	0900	0906	2	Cotton

Data on individual fumigation events (each container opening) is provided in Appendix A.

3. Meteorological data

3.1 Weather conditions sub-set

The Air Quality Management Plan (AQMP) (GHD, 2021) for site operations concerning venting defines a wind threshold where releasing methyl bromide must be slowed from the obtainable one container opening per three-minutes. Screening modelling according to the *Approved Methods* sets the decision tree threshold at 7 km/h – as seen in Figure 3-1.

The staggering of container opening as a function of wind conditions was not fully adopted by the NSW Environment Protection Authority. A more conservative Condition was inserted into EPL No. 21253 with the container staggering options defined in Table 3.1. It had been communicated that (Lindsay Fulloon email: On Behalf of EPA RSD Armidale Mailbox - Sent: Wednesday, 18 December 2019 2:55 PM):

- “The EPA’s intention is to either remove this condition, or amend it once the AQMP has been amended ...and/or once you have demonstrated that the site can be operated in such a way to mitigate any potential risk to surrounding receptors.”




Figure 3-1 Fumigation decision tree for container opening

Table 3.1 EPL No. 21253 decision tree condition

Maximum number of containers that can be opened for ventilation per hour				
Wind speed (m/s) (15-minute average)	Wind direction from true north (15 minute average)			
	North	East	South	West
0.5 - 1	10	2	10	2
1 -2	10	4	10	4
2 - 3	20	10	20	10
3 or above	20	20	20	20

The 80 event days experienced meteorological conditions that are essentially randomly selected from a full year of daytime non-stable weather and is highly variable. Due to the Standard Operating Procedure (SOP), of checking each container before fumigation, there is no instance of a container opening in any hour exceed 20 g/m³. Therefore, no venting conditions, with associated prevailing meteorology, occur for the fumigation event hours that require “modelling ... to confirm compliance with the adopted threshold” (EPL 21253 Condition R5.2 (d)). The full dataset of meteorological data is kept on site in accordance with condition M1 Monitoring records of EPL 21253. These 15-minute averaged data are available for inspection by EPA.

4. Container ventilation management regime

The Air Quality Management Plan (AQMP) for the site assumes an average mass emission rate from a maximum of 20 containers per hour. The decision tree of Figure 3-1 ensures that less containers are opened in an hour when weather conditions are not able to decrease concentrations to compliance levels. Implicit in the management regime is that containers that are under the EPA specified release concentration (20 g/m^3) will not result in excessive MeBr concentration crossing the site boundaries.

From Appendix A, individual container opening events are always below the critical threshold of 20 g/m^3 . When below the emission threshold concentration, the AQMP ensures compliance with the project adopted methyl bromide threshold (taken from the Approved Methods).

5. Approved Methods modelling

For modelling to confirm compliance with the adopted Approved Methods threshold, modelling was conducted in accordance with the *Approved Methods for Modelling and Assessment of Air Pollutants in NSW* (EPL Condition R5.2(d)). The modelling follows the AQMP where container opening is staggered according to the prevailing dispersion meteorology and distance to the nearest site boundary. Moreover, site boundary monitoring (until December 2021) was a real-time check that plumes of MeBr are not measured crossing the boundary. By modelled and measured impacts being below the threshold target it is demonstrated that the site can be operated in such a way to mitigate any potential risk to surrounding receptors.

6. Conclusion

Section 2 and Appendix A provides details on each daily fumigation event that occurred during the 12 months to the Anniversary Date of 9 April 2023. This involved 80 event days with venting of methyl bromide (after containers 'dosed' at least 24 hours previously). Due to market conditions, these event days only involve 10 days where containers with timber are involved. These data were extracted from the fumigation records that are compiled for each fumigation event and these are a necessary requirement of the quarantine clearance certificate requirements for exporting of timber and grain to overseas markets.

The container ventilation management regime that is documented in the Air Quality Management Plan (AQMP) ensures compliance with the project adopted methyl bromide threshold. Moreover, downwind boundary conditions are measured when fumigation is occurring – this is independent of the data of Section 2 and Section 3, albeit the Standard Operating Procedure (SOP) is reactive to weather (wind) conditions. There is no need to confirm compliance with condition R5.2(d) as operating procedures ensure that no container has a residual concentration above 20 µg/m³ at time of opening.

Appendices

Appendix A

Fumigation records for each container opening

Date	Initial Dosage (g/m ³)	Container Opening	Prior to Venting g/m ³
09-Apr-22	64	1030	19.4
	64	1033	19.6
	64	1036	19.8
	64	1039	19.2
	64	1042	19.6
	64	1045	19.0
	64	1048	19.2
	64	1051	18.8
	64	1054	19.4
	64	1057	19.4
	64	1100	19.8
	64	1103	19.6
	64	1106	19.4
	64	1109	19.8
	64	1112	19.8
	64	1115	19.6
	12-Apr-22	40	0915
40		0918	13.4
40		0921	14.0
40		0924	14.2
40		0927	14.0
40		0930	14.2
40		0933	13.4
40		0936	13.2
40		0939	14.2
40		0942	14.0
40		0945	14.6
13-Apr-22	64	1000	19.8
	64	1003	19.8
	64	1006	19.8
	64	1009	19.0
	64	1012	19.6
	64	1015	19.6
	64	1018	19.4
	64	1021	19.8
	64	1024	10.8
	64	1027	19.4
20-Apr-22	40	1000	13.8
	40	1006	14.0
	40	1012	12.4
	40	1018	12.6
	40	1021	13.4
	40	1024	13.8
	40	1027	12.4
	40	1030	13.8
	40	1033	13.2
	40	1036	13.2
	40	1039	13.8
	40	1042	12.8
40	1045	12.8	
40	1048	13.4	

	40	1051	13.6
	40	1054	13.0
	40	1057	13.2
	40	1100	13.4
	40	1106	13.0
	64	1112	19.2
29-Apr-22	64	1030	19.2
	64	1033	19.6
	64	1036	19.8
	64	1039	19.8
	64	1042	18.8
	64	1045	19.0
	64	1100	19.4
	64	1115	19.6
	64	1121	19.8
	64	1127	19.6
03-May-22	40	1000	12.6
	40	1015	13.6
	40	1030	13.8
	40	1100	12.4
	40	1106	13.6
	40	1112	14.0
	40	1118	13.8
	40	1133	13.2
	40	1148	13.2
	40	1154	12.6
	40	1200	13.6
	40	1215	13.4
	40	1230	13.4
	40	1245	12.8
	40	1300	13.4
	40	1315	13.8
	40	1330	12.6
	40	1336	12.6
	40	1342	13.2
	40	1348	14.0
05-May-22	40	1000	14.2
	40	1006	12.8
	40	1012	12.6
	40	1018	12.2
	40	1024	12.4
	40	1030	13.4
	40	1036	13.2
	40	1042	13.4
	40	1048	14.0
	40	1054	12.8
	40	1100	13.8
	40	1106	12.6
	40	1112	12.8
	40	1118	14.0
	40	1124	13.6
	40	1130	13.0
06-May-22	40	1015	13.6
	40	1030	13.2
	40	1045	14.2
	40	1100	13.4
	40	1106	13.8
	40	1112	14.2
	40	1118	13.4

	40	1124	13.0
	40	1130	14.2
	40	1133	13.2
	40	1136	13.8
	40	1139	13.6
	40	1142	13.0
	40	1145	14.4
	40	1148	14.2
	40	1151	14.0
	40	1154	13.4
	40	1157	13.4
	40	1200	13.0
	40	1203	13.2
	40	1206	13.6
	40	1209	13.2
10-May-22	40	1000	14.4
	40	1006	14.4
	40	1012	14.8
	40	1018	15.4
	40	1021	14.0
	40	1024	13.8
	40	1027	13.6
	40	1030	14.0
	40	1033	13.2
	40	1036	14.2
	40	1039	13.8
	40	1042	14.6
	40	1045	14.6
	40	1048	14.4
	40	1051	13.8
	40	1054	13.6
	40	1057	13.2
18-May-22	40	1000	12.4
	40	1030	13.6
	40	1100	13.6
	40	1106	13.4
	40	1112	13.0
	40	1118	14.0
	40	1124	12.8
	40	1130	14.0
	40	1136	13.6
	40	1142	13.4
	40	1148	13.8
	40	1154	14.4
	40	1200	13.6
	40	1206	13.6
	40	1212	13.8
	40	1218	13.2
19-May-22	40	0930	13.8
	40	0933	12.6
	40	0936	12.8
	40	0939	13.2
20-May-22	40	0930	12.8
	40	0936	13.4
	40	0942	14.0
	40	0948	13.4
	40	0954	13.8
21-May-22	40	0915	13.2
27-May-22	40	0945	13.8

	40	1000	14.4
	40	1015	14.2
	40	1030	13.4
	40	1045	13.2
	40	1051	13.4
	40	1057	13.2
	40	1103	14.4
	40	1109	13.4
	40	1115	14.0
	40	1121	13.8
	40	1127	13.2
	40	1133	13.0
	40	1139	13.0
	40	1145	13.0
	40	1151	14.0
	40	1157	13.8
	40	1203	14.6
	40	1209	12.6
	40	1215	13.6
	40	1221	13.0
	40	1227	13.8
	40	1233	14.0
	40	1239	12.8
	40	1245	14.0
	40	1251	13.6
	40	1257	13.2
	40	1303	14.0
	40	1309	13.4
	40	1315	13.4
	40	1321	13.8
	40	1327	14.6
	40	1333	13.2
	40	1339	13.4
	40	1345	13.2
	40	1351	13.8
	64	1357	19.2
	64	1403	18.8
	64	1409	19.6
	64	1415	20.0
	64	1421	19.2
	64	1427	19.4
	64	1433	19.8
	64	1439	19.6
	64	1445	20.0
	64	1500	19.8
31-May-22	64	1045	19.6
	64	1048	20.0
	64	1051	19.4
	64	1054	19.8
	64	1057	19.8
	64	1100	19.4
	64	1103	19.6
	64	1106	19.6
	64	1109	20.0
	64	1112	19.8
	40	1115	14.0
	40	1118	12.8
	40	1121	13.2
	40	1124	12.8

	40	1127	12.4
	40	1130	13.6
01-Jun-22	40	0945	13.6
	40	0948	13.4
	40	0951	13.8
	40	0954	14.8
	40	0957	15.4
	40	1000	14.8
	40	1003	12.8
	40	1006	13.2
03-Jun-22	40	1130	17.4
	40	1133	16.6
	40	1136	19.0
	40	1139	15.6
	40	1142	18.4
	40	1145	17.0
	40	1148	19.6
	40	1151	19.8
	40	1154	17.6
	40	1157	19.6
	40	1200	17.4
	40	1203	19.0
	40	1206	19.2
	40	1209	18.0
	40	1212	15.2
	40	1215	14.4
	40	1218	14.0
	40	1221	18.0
	40	1224	17.6
	40	1227	18.0
	40	1230	16.6
	40	1315	17.2
	40	1321	15.0
	40	1327	12.8
	40	1333	18.8
	40	1336	15.0
	40	1339	15.0
	40	1342	17.2
	40	1345	13.0
	40	1351	15.4
	40	1357	13.8
04-Jun-22	40	0930	16.8
09-Jun-22	40	1100	17.4
	40	1103	17.2
	40	1106	18.2
	40	1109	16.2
	40	1112	16.6
	40	1115	17.2
	40	1118	16.0
	40	1121	17.6
	40	1124	16.4
	40	1127	17.4
	40	1130	17.0
	40	1133	15.0
	40	1136	16.6
	40	1139	18.4
	40	1142	16.4
	40	1145	17.0
	40	1148	18.6

	40	1151	16.4
	40	1154	16.8
	40	1157	17.2
	40	1200	16.2
	40	1203	16.6
	40	1206	18.0
	40	1209	16.6
	40	1212	17.0
10-Jun-22	40	1015	14.2
	40	1018	14.6
	40	1021	14.2
	40	1024	13.6
	40	1027	15.2
	40	1030	14.4
	40	1033	14.8
	40	1036	18.4
	40	1039	15.6
	40	1042	16.6
	40	1045	18.6
	40	1048	16.6
	40	1051	15.6
	40	1054	15.4
	40	1057	18.0
	40	1100	17.6
15-Jun-22	40	1030	16.0
	40	1036	16.2
	40	1042	15.8
	40	1048	16.6
	40	1051	15.0
	40	1054	15.2
	40	1057	15.0
	40	1100	15.6
	40	1103	15.6
	40	1106	16.6
	40	1109	16.0
	40	1112	1.2
	40	1115	15.0
	40	1118	13.0
	40	1121	14.6
	40	1124	13.4
	40	1127	14.4
	40	1130	14.2
	40	1133	15.0
	40	1136	14.2
	40	1139	13.0
18-Jun-22	64	1100	19.6
	64	1103	19.4
	64	1106	19.8
	64	1109	19.8
	64	1112	19.6
	64	1115	19.2
	64	1118	19.2
	64	1121	19.6
	64	1124	19.4
	64	1127	19.8
	64	1130	18.8
	64	1133	19.6
	64	1136	19.8
	64	1139	19.9

	40	1142	15.4
	40	1145	15.2
	40	1148	16.2
	40	1151	15.4
	40	1154	14.6
	40	1157	15.6
	40	1200	14.6
	40	1203	14.6
	40	1206	15.6
	40	1209	16.2
	40	1212	13.8
	40	1215	14.8
	40	1218	15.2
	40	1221	16.8
	40	1224	16.0
	40	1227	14.8
22-May-22	40	1030	14.0
	40	1033	14.8
	40	1036	13.8
	40	1039	13.8
	40	1042	14.2
	40	1045	13.8
	40	1051	13.8
	40	1057	15.0
	40	1103	14.6
	40	1109	14.8
	40	1115	13.8
	40	1118	15.4
	40	1121	14.6
	40	1124	14.8
	40	1127	14.4
	40	1130	15.0
	40	1133	14.6
	40	1136	15.2
24-Jun-22	40	1030	15.0
	40	1036	16.0
	40	1042	15.0
	40	1048	15.4
	40	1103	15.0
	40	1109	14.2
	40	1115	15.0
	40	1121	14.8
	40	1127	15.4
	40	1133	14.4
	40	1148	15.8
	40	1151	14.4
01-Jul-22	48	1030	13.0
	48	1100	14.2
	48	1106	14.0
	48	1112	15.6
	48	1115	17.0
	48	1118	16.8
	48	1124	16.4
	48	1130	17.0
	48	1200	16.4
	48	1206	17.2
	48	1212	17.0
	48	1218	16.0
	48	1224	16.2

	40	1230	15.6
	40	1245	14.8
	40	1315	16.0
	40	1321	14.4
	40	1327	13.8
	40	1333	13.8
	40	1339	12.4
	40	1345	13.2
	40	1351	14.0
	40	1357	14.6
	40	1403	14.0
	40	1409	13.8
	40	1415	13.6
	40	1421	14.2
	40	1427	14.2
	40	1433	13.6
	40	1436	13.4
	40	1439	13.6
	40	1442	12.6
	40	1445	13.2
	40	1451	13.4
	40	1457	13.6
	40	1503	14.0
02-Jul-22	40	0900	12.6
	40	0906	12.8
	40	0912	13.2
	40	0918	10.8
	40	0924	12.0
	40	0930	12.4
	40	0936	11.0
	40	0942	10.8
	40	0948	10.4
	40	0954	12.0
	40	1000	11.0
	40	1006	12.6
	40	1012	12.6
	40	1018	10.6
	40	1024	10.6
	40	1030	12.8
	40	1036	11.4
	40	1042	12.0
	40	1048	12.6
	40	1054	13.4
	40	1100	10.8
	40	1130	11.2
	40	1145	10.8
	40	1151	12.0
	40	1157	11.8
	40	1203	12.2
	40	1209	12.0
	40	1215	12.8
	40	1221	11.4
	40	1227	12.4
	40	1233	10.6
	40	1239	12.0
	40	1245	12.0
	40	1251	11.4
	40	1257	11.8
08-Jul-23	40	1045	13.4

	40	1051	13.6
	40	1057	12.6
	40	1103	12.8
	40	1109	13.2
	40	1115	14.4
	40	1121	13.0
	40	1127	13.0
	64	1133	18.8
	64	1139	19.4
	64	1145	19.2
	64	1148	19.8
	64	1151	19.2
	64	1154	18.8
	64	1157	18.0
	64	1200	18.8
	64	1203	19.6
	64	1206	18.6
	64	1209	19.0
	64	1212	18.8
	64	1215	19.8
	64	1218	19.0
22-Jul-22	40	1015	15.0
	40	1018	14.8
	40	1021	15.2
	40	1024	14.6
	40	1027	15.6
	40	1030	13.8
	40	1033	13.8
	40	1036	14.8
	40	1039	14.4
	40	1042	14.8
	40	1045	14.4
	40	1048	14.0
	40	1051	15.2
	40	1054	14.4
	40	1057	15.8
	40	1100	14.8
	40	1103	15.0
	40	1106	16.0
	40	1109	14.8
	40	1112	16.0
	40	1115	15.6
	40	1118	16.4
	40	1121	14.6
	40	1124	15.4
	40	1127	15.6
	40	1130	15.0
	40	1133	15.4
	40	1136	15.4
11-Aug-22	48	0923	18.3
	48	0926	19.2
	48	0929	17.6
	48	0932	18.4
	48	0935	19.7
	48	0938	19.4
	48	0941	18.8
	48	0944	18.3
	48	0947	19.1
	48	0950	17.9

	48	0953	18.3
	48	0956	17.8
	48	0959	18.9
	48	1002	18.3
	48	1005	19.2
12-Aug-22	48	0930	18.9
	48	0942	19.2
	48	0954	19.3
	48	1006	19.8
	48	1018	19.7
	48	1030	18.4
	48	1042	17.6
	48	1054	18.8
	48	1106	19.9
	48	1118	19.8
	48	1130	18.8
	48	1142	18.2
	48	1154	17.9
	48	1226	18.3
	48	1218	18.9
	48	1230	19.4
	48	1242	19.5
	48	1254	18.2
	48	1306	17.6
	48	1318	18.2
16-Aug-22	48	1100	19.1
	48	1103	18.3
	48	1106	17.8
	48	1109	16.9
	48	1112	19.8
	48	1118	19.1
	48	1121	19.8
	48	1124	18.7
	48	1127	18.1
	48	1130	17.6
	48	1133	18.6
	48	1136	19.3
	48	1139	19.5
	48	1142	19.9
	48	1145	18.7
	48	1151	17.6
	48	1157	18.4
	48	1203	18.1
	48	1209	18.7
	48	1218	18.9
	48	1233	18.3
	48	1239	17.6
	48	1245	19.4
	48	1248	19.7
	48	1251	18.9
	48	1254	17.8
	48	1257	19.4
	48	1300	18.6
	48	1303	17.9
	48	1306	18.8
	48	1309	19.9
	48	1312	19.2
	48	1315	19.4
	48	1318	18.4

	48	1321	17.6
	48	1324	18.3
	48	1327	19.4
18-Aug-22	48	1315	17.9
	48	1318	19.3
	48	1321	19.9
	48	1324	19.4
	48	1327	18.9
	48	1330	18.3
	48	1333	17.6
	48	1336	18.8
	48	1339	19.4
	48	1342	18.4
	48	1345	18.8
	48	1348	17.4
	48	1351	16.9
	48	1354	18.4
	48	1357	17.8
	48	1400	19.3
	48	1403	18.2
	48	1406	19.3
	48	1409	19.8
	48	1412	19.4
	48	1415	18.8
	48	1418	19.3
	48	1427	18.4
	48	1430	18.5
	48	1433	19.9
	48	1436	18.2
	48	1439	17.8
	48	1442	17.9
	48	1445	18.5
	48	1448	19.1
	48	1451	19.4
	48	1454	18.3
	48	1457	18.4
25-Aug-22	48	1215	18.1
	48	1230	19.2
	48	1245	17.2
	48	1251	13.4
	48	1257	18.9
	48	1303	19.3
	48	1309	19.8
	48	1315	17.8
	48	1321	18.8
	48	1327	19.6
	48	1333	18.8
	48	1339	17.9
	48	1345	18.2
	48	1348	18.4
	48	1351	19.9
	48	1354	18.8
	48	1357	17.6
	48	1400	18.4
	48	1406	18.8
	48	1412	18.3
	48	1418	19.3
	48	1424	19.7
	48	1430	18.4

	48	1433	17.7
	48	1436	16.9
	48	1439	18.8
	48	1442	19.1
	48	1445	19.4
	48	1448	19.7
26-Aug-22	48	1335	19.2
	48	1338	18.7
	48	1342	18.6
	48	1345	17.9
01-Sep-22	48	0935	18.3
	48	0938	18.4
	48	0941	17.6
	48	0944	18.4
	48	0947	19.3
	48	0950	19.8
	48	0953	19.7
	48	0956	18.9
	48	0959	18.3
	48	1002	19.8
	48	1005	18.9
	48	1008	18.1
	48	1011	17.9
	48	1014	18.5
	48	1017	18.4
	48	1020	17.8
	48	1023	18.8
	48	1026	19.1
	48	1029	19.4
	48	1032	18.8
02-Sep-22	48	0935	18.3
	48	0945	19.2
	48	0951	18.7
	48	0957	19.4
	48	1003	19.3
	48	1009	19.8
	48	1015	18.4
	48	1021	17.3
	48	1027	18.9
	48	1033	18.9
	48	1039	18.6
	48	1045	18.1
	48	1051	19.3
	48	1106	19.4
	48	1112	16.9
	48	1115	18.4
	48	1118	19.7
	48	1121	18.3
	48	1124	19.2
	48	1127	18.3
03-Sep-22	48	1130	19.2
	48	1133	18.4
	48	1136	17.8
	48	1139	18.6
	48	1142	18.9
	48	1145	17.4
	48	1148	19.3
	48	1151	19.7
	48	1154	18.6

07-Sep-22	48	1115	19.3
	48	1118	19.7
	48	1121	18.4
	48	1124	18.7
	48	1127	18.3
	48	1130	19.4
	48	1133	16.9
	48	1136	17.2
	48	1139	18.8
	48	1142	19.2
	48	1145	19.3
	48	1148	18.4
	48	1200	18.8
	48	1212	18.4
	48	1218	18.9
	48	1224	17.6
	48	1230	17.4
	48	1236	18.2
	48	1245	19.3
	48	1300	18.9
	48	1312	19.4
	48	1318	19.8
	48	1324	17.4
	48	1330	18.3
	48	1336	18.9
	48	1342	19.1
	48	1348	19.7
	48	1400	19.9
08-Sep-22	48	1005	17.6
	48	1008	18.7
	48	1011	18.9
	48	1014	18.4
	48	1017	19.3
	48	1020	19.9
	48	1023	18.9
	48	1026	19.4
	48	1029	18.1
	48	1032	19.3
	48	1035	18.7
	48	1038	18.4
	48	1041	19.7
	48	1044	19.4
	48	1047	18.2
	48	1050	18.8
13-Sep-22	64	1000	18.3
	64	1003	16.6
	64	1006	16.9
	64	1009	17.2
	64	1012	18.1
	64	1015	18.4
	64	1018	19.3
	64	1021	19.1
	64	1024	17.4
	64	1027	16.3
	64	1030	18.1
	48	1045	18.1
	48	1048	17.9
	48	1051	18.8
	48	1054	19.1

	48	1057	19.3
	48	1100	19.1
	48	1103	18.3
	48	1106	17.6
14-Sep-22	48	1050	18.3
	48	1105	18.2
	48	1120	17.8
	48	1135	19.1
	48	1141	18.6
	48	1156	18.1
	48	1211	17.3
	48	1226	17.4
	48	1237	17.9
	48	1247	18.1
	48	1253	19.2
	48	1259	17.6
	84	1305	18.4
15-Sep-22	48	1143	18.2
	48	1146	18.6
	48	1149	18.9
	48	1152	17.2
	48	1155	16.9
	48	1158	18.3
	48	1201	19.1
	48	1204	18.7
	48	1207	18.2
16-Sep-22	48	1110	18.2
	48	1113	17.6
	48	1116	18.3
	48	1119	18.9
	48	1122	17.1
17-Sep-22	48	1015	18.3
	48	1018	19.5
	48	1021	19.7
	48	1024	19.2
	48	1027	18.9
20-Sep-22	48	1142	18.2
	48	1145	18.1
	48	1148	17.6
	48	1151	18.5
	48	1154	19.3
21-Sep-22	48	1000	19.2
	48	1003	18.6
	48	1006	17.2
27-Sep-22	48	1050	16.8
	48	1053	15.8
	48	1056	19.4
	48	1059	19.0
	48	1102	19.6
	48	1105	19.8
	48	1108	18.9
	48	1111	17.1
	48	1114	19.4
	48	1117	19.2
	48	1120	19.7
	48	1123	18.3
	48	1126	18.7
	48	1129	18.8
	48	1132	18.6

	48	1135	19.4
	48	1138	17.2
	48	1141	18.6
	48	1144	19.4
	48	1147	19.8
	48	1210	18.2
	48	1213	16.7
	48	1216	17.2
	48	1219	17.8
	48	1222	18.4
	48	1225	16.9
	48	1228	18.5
	48	1231	18.7
	48	1234	19.2
	48	1237	18.1
28-Sep-22	48	1130	19.2
	48	1133	19.6
	32	1136	16.2
	32	1139	15.9
	32	1142	15.4
	32	1145	15.1
	32	1148	15.4
	32	1151	15.9
	32	1154	19.6
	32	1157	16.2
	32	1200	16.4
	32	1203	16.3
	32	1206	15.8
	32	1209	15.4
	32	1212	15.9
	32	1215	16.1
	32	1218	15.8
30-Sep-22	48	1000	19.2
	48	1003	18.9
	48	1006	19.7
	48	1009	19.4
	48	1012	19.3
	48	1015	19.9
	48	1018	18.8
	48	1030	18.5
	48	1033	18.9
	48	1036	19.1
	48	1039	18.4
	48	1042	18.7
	48	1045	18.2
	48	1048	18.4
	48	1051	18.9
	48	1054	18.3
	48	1057	19.2
	48	1100	18.7
04-Oct-22	84	0840	19.3
	84	0855	19.9
	48	0925	7.2
	48	9555	5.9
	48	1025	6.2
	48	1055	5.2
	48	1125	6.3
05-Oct-22	48	0840	18.3
	48	0843	19.4

	48	0846	18.9
	48	0849	17.9
	48	0852	19.9
06-Oct-22	48	1030	18.7
	48	1033	18.9
	48	1036	19.2
	48	1039	19.7
	48	1042	19.5
	48	1045	18.4
	48	1048	19.8
	48	1051	18.5
	48	1054	18.4
	48	1057	18.9
	48	1100	19.2
	48	1103	19.7
	48	1106	18.6
	48	1109	18.1
	48	1112	18.4
	48	1115	18.7
	48	1205	18.7
	48	1208	18.9
	48	1211	18.6
	48	1214	19.2
	48	1217	18.4
	48	1220	18.8
07-Oct-22	48	1000	18.7
	48	1003	19.3
	48	1006	19.6
	48	1009	19.4
	48	1012	19.8
13-Oct-22	48	1100	19.3
	48	1103	19.5
	48	1106	18.9
	48	1109	19.2
	48	1112	19.5
	48	1115	18.8
	48	1118	18.6
	48	1121	19.1
	48	1124	18.7
	48	1127	19.1
	48	1130	19.4
	48	1133	19.7
	48	1136	19.8
	48	1139	18.1
	48	1142	18.1
	48	1145	19.6
	48	1148	18.9
	48	1151	18.8
	48	1154	18.5
	48	1157	19.9
	48	1200	19.3
	48	1203	19.1
	48	1206	19.4
	48	1209	18.7
	48	1212	18.4
	48	1215	18.5
	48	1218	18.8
	48	1221	18.9
	48	1224	18.1

20-Oct-22	48	1145	18.8
	48	1148	19.7
	48	1151	19.8
	48	1154	18.1
	48	1157	17.8
	48	1200	18.1
	48	1203	19.7
	48	1206	18.9
	48	1209	17.6
	48	1212	19.2
	48	1215	18.7
	48	1218	19.9
	48	1221	17.6
	48	1224	17.4
	48	1227	18.1
	48	1230	19.3
	48	1233	18.9
	48	1236	18.4
	48	1239	18.6
	48	1242	19.1
	48	1245	18.2
26-Oct-22	48	1230	19.2
	48	1233	19.5
	48	1236	18.6
	48	1239	17.5
	48	1242	19.3
27-Oct-22	48	1245	18.5
	48	1248	19.7
	48	1251	18.2
	48	1254	17.6
	48	1257	18.4
	48	1300	17.6
	48	1303	18.9
	48	1306	19.9
	48	1309	18.7
	48	1312	17.9
	48	1315	18.1
	48	1318	19.3
	48	1321	18.9
28-Oct-22	48	1105	19.3
	48	1108	18.1
	48	1111	17.9
	48	1114	18.4
	48	1117	19.7
	48	1120	19.9
	48	1123	18.2
	48	1126	17.4
	48	1129	16.9
02-Nov-22	48	0955	18.1
	48	0958	17.6
	48	1001	18.5
	48	1004	16.9
	48	1007	17.4
	48	1010	17.9
	48	1013	19.2
	48	1016	18.8
	48	1019	17.1
	48	1022	17.8
	48	1025	16.8

	48	1028	18.2
	48	1031	17.9
	48	1034	16.5
	48	1037	18.8
	48	1040	18.1
	48	1043	17.1
	48	1046	19.3
	48	1049	19.4
04-Nov-22	48	1010	18.2
	48	1013	17.6
	48	1016	19.4
	48	1019	16.8
	48	1021	17.1
	48	1024	18.5
	48	1027	17.4
	48	1030	19.1
	48	1033	18.5
	48	1036	18.3
	48	1039	17.3
	48	1042	19.2
	48	1045	16.9
	48	1048	17.8
	48	1051	18.1
	48	1100	17.8
	48	1106	16.4
	48	1112	18.9
	48	1118	17.9
	48	1124	19.1
	48	1130	18.8
	48	1136	17.9
	48	1142	19.0
	48	1148	16.8
09-Nov-22	48	0933	18.4
	48	0948	17.6
	48	1000	18.9
	48	1006	17.4
	48	1012	18.1
	48	1018	19.3
	48	1024	19.8
	48	1030	18.5
	48	1036	18.4
	48	1100	19.2
	48	1115	18.6
17-Nov-22	48	1003	19.3
	48	1006	17.6
	48	1009	18.1
	48	1012	18.4
	48	1015	19.4
	48	1018	18.8
	48	1021	17.4
	48	1024	16.9
	48	1027	19.4
	48	1030	19.2
08-Dec-22	48	1015	18.3
	48	1021	16.2
	48	1027	17.5
	48	1033	17.8
	48	1036	19.1
	48	1039	18.8

	48	1042	17.1
	48	1045	16.9
	48	1048	17.2
	48	1051	18.5
	48	1054	16.7
	48	1057	18.2
	48	1100	17.8
	48	1103	16.7
09-Dec-22	48	1026	19.1
	48	1038	18.5
	48	1050	17.6
	48	1102	16.6
	48	1114	17.1
	48	1126	16.5
	48	1130	16.9
	48	1136	17.8
	48	1142	19.4
	48	1148	18.2
	48	1150	17.2
	48	1202	18.2
	48	1208	19.1
	48	1214	16.4
	48	1220	17.8
	48	1226	16.4
	48	1232	19.2
	48	1238	17.7
	48	1244	16.9
	48	1250	17.6
	48	1256	18.1
	48	1302	18.8
	48	1308	16.5
	48	1314	17.4
15-Dec-22	48	1003	17.1
	48	1006	18.4
	48	1009	18.8
	48	1012	16.9
	48	1015	17.2
	48	1023	19.1
	48	1026	18.8
	48	1029	16.1
	48	1033	17.7
	48	1039	18.4
	48	1045	17.6
	48	1051	18.2
	48	1057	16.6
	48	1103	18.8
	48	1106	17.9
	48	1109	19.2
	48	1112	18.4
	48	1115	17.3
	48	1118	17.9
	48	1121	16.9
	48	1124	18.1
	48	1127	17.6
21-Dec-22	48	1017	17.9
28-Dec-22	48	0952	18.0
18-Jan-23	48	1000	16.4
	48	1006	16.0
	48	1012	17.0

	48	1018	16.6
	48	1024	16.6
	48	1030	16.2
	48	1045	16.4
	48	1048	16.4
	48	1051	16.6
	48	1054	15.6
	48	1057	16.2
	48	1100	15.6
	48	1103	15.8
	48	1106	16.0
	48	1109	16.0
	48	1112	16.8
	48	1115	16.4
	48	1121	17.4
	48	1124	16.2
	48	1127	16.4
21-Jan-23	40	0915	14.2
	40	0918	13.8
	40	0921	14.4
	40	0924	14.6
	40	0927	14.4
	40	0930	14.0
	40	0933	14.8
	40	0936	14.6
	40	0939	13.4
	40	0942	14.4
28-Jan-23	32	0930	11.4
	32	0936	11.6
	32	0942	11.0
	32	0948	10.2
	32	0954	11.8
	32	1000	10.4
	32	1015	12.2
	32	1021	11.6
	32	1027	11.6
	32	1033	12.0
	32	1048	11.0
	32	1103	10.8
	32	1118	11.0
	32	1133	11.4
	32	1148	10.8
	32	1203	11.6
	32	1218	11.6
	32	1224	11.2
29-Jan-23	32	0845	11.2
	32	0900	10.6
01-Feb-23	32	0930	10.8
	32	0945	10.8
	32	0948	11.2
	32	0951	10.4
	32	0954	11.4
	32	0957	10.8
	32	1000	11.8
	32	1006	11.6
	32	1012	11.2
	32	1018	11.0
	32	1024	10.8
	32	1030	10.6

	32	1036	10.2
	32	1042	11.2
	32	1048	11.2
14-Feb-23	48	0845	18.1
	48	0848	18.5
	48	0851	18.7
	48	0854	17.4
	48	0857	17.6
	48	0900	18.3
	48	0903	18.0
	48	0906	18.1
	48	0909	18.4
	48	0912	18.5
	48	0915	18.1
	48	0918	18.3
	48	0921	18.5
16-Feb-23	48	0900	17.1
	48	0906	17.9
	48	0912	18.3
	48	0918	17.6
	48	0924	18.1
	48	0930	17.8
	48	0945	18.4
	48	0951	18.0
17-Feb-23	48	0915	18.1
	48	0921	17.6
	48	0927	17.9
	48	0933	18.3
	48	0939	18.0
	48	0945	18.1
18-Feb-23	48	0920	15.2
	48	0930	16.9
	48	0933	17.4
	48	0936	16.5
	48	0939	17.1
	48	0942	18.1
	48	0945	17.8
	48	0948	17.9
01-Mar-23	56	1015	17.2
	56	1018	19.8
	56	1021	19.0
	56	1024	18.4
	56	1027	19.6
	56	1030	19.8
	56	1033	18.8
	56	1036	18.2
	56	1039	18.0
	56	1042	18.4
	56	1045	18.8
	56	1048	18.4
	56	1051	18.8
	56	1054	18.0
	56	1057	18.2
	56	1100	18.0
	56	1103	18.6
	56	1106	17.6
	56	1109	18.2
	56	1112	18.2
14-Mar-23	48	0830	16.6

	48	0845	17.9
15-Mar-23	48	0900	18.9
	48	0915	17.3
	48	0921	16.2
	48	0927	19.3
	48	0942	18.3
	48	0948	18.7
	48	0954	19.9
	48	1000	19.1
	48	1006	17.2
16-Mar-23	48	0900	17.8
	48	0906	18.4



ghd.com

→ **The Power of Commitment**